

**Details**

Manufacturer & Model	800X Std/Pro/Rally e5 / 24->25
Kit Code	KRB-EVO2-003
Rapid Bike type	evo2
Wiring	F27-ER2-003
Extra Cost	✗
O2 Modulation	✓
Injection	✓
Self adaptative injection	✓
eight injectors	✗
two O2	✗
gearbox reading	✗
speed limiter	✗
rpm limiter	✗
Engine brake	✓
Ignition timing	✗
Traction Control	✗
Launch Control	✗
Shift assist (up)	✓
Shift rod type	A

Manufacturer & Model	800X Std/Pro/Rally e5 / 24->25
Kit Code	KRB-EVO2-003
Rapid Bike type	evo2
Wiring	F27-ER2-003
Extra Cost	✗
O2 Modulation	✓
Injection	✓
Self adaptative injection	✓
eight injectors	✗
two O2	✗
gearbox reading	✗
speed limiter	✗
rpm limiter	✗
Engine brake	✓
Ignition timing	✗
Traction Control	✗
Launch Control	✗
Shift assist (up)	✓
Shift rod type	A

Manufacturer & Model	800X Std/Pro/Rally e5 / 24->25
Kit Code	KRB-EVO2-003
Rapid Bike type	evo2
Wiring	F27-ER2-003
Extra Cost	✗
O2 Modulation	✓
Injection	✓
Self adaptative injection	✓
eight injectors	✗
two O2	✗
gearbox reading	✗
speed limiter	✗
rpm limiter	✗
Engine brake	✓
Ignition timing	✗

Traction Control ✘

Launch Control ✘

Shift assist (up) ✔

Shift rod type **A**Manufacturer & Model **800X Std/Pro/Rally e5 / 24->25**Kit Code **KRB-RAC2-003**Rapid Bike type **racing2**Wiring **F27-ER2-003**

Extra Cost ✘

O2 Modulation ✔

Injection ✔

Self adaptative injection ✔

eight injectors ✘

two O2 ✘

gearbox reading ✘

speed limiter ✘

rpm limiter ✘

Engine brake ✔

Ignition timing ✘

Traction Control ✘

Launch Control ✘

Shift assist (up) ✔

Shift rod type **A**

Manufacturer & Model	800X Std/Pro/Rally e5 / 24->25
Kit Code	KRB-RAC2-003
Rapid Bike type	racings2
Wiring	F27-ER2-003
Extra Cost	✗
O2 Modulation	✓
Injection	✓
Self adaptative injection	✓
eight injectors	✗
two O2	✗
gearbox reading	✗
speed limiter	✗
rpm limiter	✗
Engine brake	✓
Ignition timing	✗
Traction Control	✗
Launch Control	✗
Shift assist (up)	✓
Shift rod type	A

Manufacturer & Model	800X Std/Pro/Rally e5 / 24->25
Kit Code	KRB-RAC2-003
Rapid Bike type	racings2
Wiring	F27-ER2-003
Extra Cost	✗
O2 Modulation	✓
Injection	✓
Self adaptative injection	✓
eight injectors	✗
two O2	✗
gearbox reading	✗
speed limiter	✗
rpm limiter	✗
Engine brake	✓
Ignition timing	✗

Traction Control ✗

Launch Control ✗

Shift assist (up) ✓

Shift rod type **A**

Manufacturer & Model **800X Std/Pro/Rally e5 / 24->25**

Kit Code **K27-SMR2-015**

Rapid Bike type **smart**

Wiring **F27-SMR-015**

Extra Cost ✗

O2 Modulation ✓

Injection ✓

Self adaptative injection ✓

eight injectors ✗

two O2 ✗

gearbox reading ✗

speed limiter ✗

rpm limiter ✗

Engine brake ✗

Ignition timing ✗

Traction Control ✗

Launch Control ✗

Shift assist (up) ✗

Manufacturer & Model	800X Std/Pro/Rally e5 / 24->25
Kit Code	K27-SMR2-015
Rapid Bike type	smart
Wiring	F27-SMR-015
Extra Cost	✗
O2 Modulation	✓
Injection	✓
Self adaptative injection	✓
eight injectors	✗
two O2	✗
gearbox reading	✗
speed limiter	✗
rpm limiter	✗
Engine brake	✗
Ignition timing	✗
Traction Control	✗
Launch Control	✗
Shift assist (up)	✗

Manufacturer & Model	800X Std/Pro/Rally e5 / 24->25
Kit Code	K27-SMR2-015
Rapid Bike type	smart
Wiring	F27-SMR-015
Extra Cost	✗
O2 Modulation	✓
Injection	✓
Self adaptative injection	✓
eight injectors	✗
two O2	✗
gearbox reading	✗
speed limiter	✗
rpm limiter	✗
Engine brake	✗
Ignition timing	✗
Traction Control	✗

Launch Control ✘

Shift assist (up) ✘

DIMSPORT SOLUTIONS FOR THIS VEHICLE



RAPID BIKE EVO 2

The Rapid Bike EVO2 improves on the previous version with a faster microprocessor, reduced weight and size, and signal management in Narrow and Wide Band. It introduces an intuitive APP for smartphones and retains the advanced features of the Rapid Bike EVO. The lambda sensor management allows for self-adaptive fuel tuning in real-time.




RAPID BIKE RACING2

The new Rapid Bike RACING2 is the benchmark for competitions, offering advanced technologies such as crankshaft phase signal management. An intuitive smartphone app is a key innovation, while all the advanced features of the previous RACING version remain.



RAPID BIKE SMART2

Specifically designed to improve the performance of the newest motorcycle models equipped with highly sophisticated lambda sensors complying with the latest European homologation criteria.



SHIFT ASSIST

Performing up-shift as well as down-shift operations