

**BIKE****KTM 390 DUKE / RC**

15-&gt;16

**Details**

Manufacturer & Model	<b>390 Duke / RC / 15-&gt;16</b>
Kit Code	<b>KRBEA2-036</b>
Rapid Bike type	<b>easy</b>
Wiring	<b>F27-EA-036</b>
O2 Modulation	✓
Manufacturer & Model	<b>390 Duke / RC / 15-&gt;16</b>
Kit Code	<b>KRBEVO-065C</b>
Rapid Bike type	<b>evo</b>
Wiring	<b>F27-ER-065</b>
O2 Modulation	✓
Injection	✓
Self adaptative injection	✓
Engine brake	✓
Shift assist (up)	✓
Shift rod type	<b>B</b>
Warnings	<b>available also EXCLUSIVE</b>

Manufacturer & Model	<b>390 Duke / RC / 15-&gt;16</b>
Kit Code	<b>KRBRAC-065C</b>
Rapid Bike type	<b>racing</b>
Wiring	<b>F27-ER-065</b>
O2 Modulation	✓
Injection	✓
Self adaptative injection	✓
Engine brake	✓
Ignition timing	✓
Traction Control	✓
Launch Control	✓
Shift assist (up)	✓
Shift rod type	<b>B</b>
Warnings	<b>available also EXCLUSIVE</b>

## ***DIMSPORT SOLUTIONS FOR THIS VEHICLE***



### ***RAPID BIKE EASY***

Equipped with a microprocessor managing directly the lambda sensor signal to optimize the air/fuel ratio, improve the engine efficiency and eliminate the torque and power gaps




### ***RAPID BIKE EVO***

It puts in your hands total control of fueling operations as it is directly connected to all stock injectors (up to eight) while managing at the same time the corresponding air/fuel ratio. In this way the carburetion values can be modified throughout the entire engine power delivery curve.




### ***RAPID BIKE RACING***

It represents the highest level of technology available for reaching top performance, offering the widest range of solutions for demanding professional track riders and street users.



### **YOUTUNE**

A compact and innovative calibration device allowing to customize your bike's performance in real time, whether you are on the street or on a race track.



### **SHIFT ASSIST**

Performing up-shift as well as down-shift operations



### **BLUE BIKE**

The valuable contribution of Rapid Bike technology enhancing bike's performance comes to life with Bluebike adapter.



### **MY TUNING BIKE**

Performing a real-time injection auto-remapping